

	Layer Name	Type	Usage	Thickness	Er	Test Wid	Z0 ohm
1		Dielectric	Solder Mask	0.039	4		
2	Layer1_Top	Metal	Signal	1.772	<Auto>	6	51.7
3	Substrate	Dielectric	Substrate	4.134	4.3		
4	Layer2_Signal	Metal	Plane	1.378	<Auto>	6	44.1
5	Substrate	Dielectric	Substrate	3.937	4.3		
6	Layer3_Plane(Gnd)	Metal	Plane	1.378	<Auto>	6	42.3
7	Substrate	Dielectric	Substrate	4.134	4.3		
8	Layer4_Signal	Metal	Signal	1.378	<Auto>	5	48.4
9	Substrate	Dielectric	Substrate	31.496	4.3		
10	Layer5_Signal	Metal	Signal	1.378	<Auto>	5	48.4
11	Substrate	Dielectric	Substrate	4.134	4.3		
12	Layer6_Plane(Pwr)	Metal	Plane	1.378	<Auto>	6	42.3
13	Substrate	Dielectric	Substrate	3.937	4.3		
14	Layer7_Signal	Metal	Plane	1.378	<Auto>	6	44.1
15	Substrate	Dielectric	Substrate	4.134	4.3		
16	Layer8_Bottom	Metal	Signal	1.772	<Auto>	6	51.7
17		Dielectric	Solder Mask	0.039	4		