





## REVISION

0	DT	D DAVIDSON
3/19/2004	ECN-33742	

ISSUE FOR REVIEW.

**NOT RELEASED  
FOR PRODUCTION**

USE FOR QUOTING, PRELIMINARY  
DESIGN, PROTOTYPING AND  
INFORMATIONAL PURPOSES ONLY



ITEM NO.	PART NUMBER	QUANTITY	MATERIAL
1	QMSS-26-01-D-02-EM2-PC4	1.0000	VECTRA E130i, COLOR: BLACK
2	SH-E2-L	2.0000	PHOS BRONZE, 510 SPRING TEMPER
3	T-1M25-01-L	104.00	PHOS BRONZE, 510 SPRING TEMPER
4	WT-17-F	2.0000	PHOS BRONZE, 510 SPRING TEMPER
5	T-1G22-01-L	2.0000	PHOS BRONZE, 510 FULL HARD TEMPER
6	T-1S13-13-L-2	8.0000	PHOS BRONZE, 510 SPRING TEMPER
7	PT-1-24-01-137	.07700	ANTI-STATIC PVC
8	TP-09	.14400	THERMOPLASTIC RUBBER

UNLESS OTHERWISE SPECIFIED,  
DIMENSIONS ARE IN INCHES.

TOLERANCES ARE:

DECIMALS ANGLES  
.XX: ±.01 [.3]  
.XXX: ±.005 [.13]  
.XXXX: ±.0020 [.051]

**PROPRIETARY NOTE**

THIS DOCUMENT CONTAINS INFORMATION  
CONFIDENTIAL AND PROPRIETARY TO  
SAMTEC, INC. AND SHALL NOT BE REPRODUCED  
OR TRANSFERRED TO OTHER DOCUMENTS OR  
DISCLOSED TO OTHERS OR USED FOR ANY  
PURPOSE OTHER THAN THAT WHICH IT WAS  
OBTAINED WITHOUT THE EXPRESSED WRITTEN  
CONSENT OF SAMTEC, INC.

PLATING:  
CONTACT AREA: .000010 GOLD OVER .000050 NICKEL  
REMAINDER: .000200 REF TIN OVER .000050 NICKEL

DO NOT SCALE DRAWING

SHEET SCALE: 2:1

F:\DWG\SW\ASP\111000\ASP-111174-01.SLDDRW




# SAMTEC

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812.944.6733 FAX: 812.948.5047  
e-Mail: [INFO@SAMTEC.COM](mailto:INFO@SAMTEC.COM) CODE: 55322

DESCRIPTION: .635MM SHIELDED EDGE MOUNT

DWG. NO. **ASP-111174-01**

BY: D. TERRELL 3/18/2004 SHEET 1 OF 3

SECTION B-B  
SCALE 5 : 1SECTION D-D  
SCALE 3 : 1SECTION C-C  
SCALE 5 : 1

## NOTES:

1. 1ST BANK SINGLE ENDED, 2<sup>ND</sup> BANK DIFFERENTIAL PAIR.
2. © REPRESENTS A CRITICAL DIMENSION.
3. MAXIMUM BURR ALLOWANCE: .0015[.038].
4. MINIMUM PUSHOUT FORCE: SIGNAL: .5 LB, SHIELD/GROUND: 1 LB.
5. MAXIMUM VARIANCE: .002[.05].
6. PARTS TO BE PACKAGED IN TUBES.

## PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION  
CONFIDENTIAL AND PROPRIETARY TO  
SAMTEC, INC. AND SHALL NOT BE REPRODUCED  
OR TRANSFERRED TO OTHER DOCUMENTS OR  
DISCLOSED TO OTHERS OR USED FOR ANY  
PURPOSE OTHER THAN THAT WHICH IT WAS  
OBTAINED WITHOUT THE EXPRESSED WRITTEN  
CONSENT OF SAMTEC, INC.

SHEET SCALE: 2:1



F:\DWG\SW\ASP\111000\ASP-111174-01.SLDDRW


# SAMTEC

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812.944.6733 FAX: 812.948.5047  
e-Mail: [INFO@SAMTEC.COM](mailto:INFO@SAMTEC.COM) CODE: 55322

DESCRIPTION: .635MM SHIELDED EDGE MOUNT

DWG. NO. ASP-111174-01

BY: D. TERRELL 3/18/2004 SHEET 2 OF 3



## PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION  
CONFIDENTIAL AND PROPRIETARY TO  
SAMTEC, INC. AND SHALL NOT BE REPRODUCED  
OR TRANSFERRED TO OTHER DOCUMENTS OR  
DISCLOSED TO OTHERS OR USED FOR ANY  
PURPOSE OTHER THAN THAT WHICH IT WAS  
OBTAINED WITHOUT THE EXPRESSED WRITTEN  
CONSENT OF SAMTEC, INC.

SHEET SCALE: 2:1



F:\DWG\SW\ASP\111000\ASP-111174-01.SLDDRW

# SAMTEC

520 PARK EAST BLVD, NEW ALBANY, IN 47150  
PHONE: 812.944.6733 FAX: 812.948.5047  
e-Mail: [INFO@SAMTEC.COM](mailto:INFO@SAMTEC.COM) CODE: 55322

DESCRIPTION:

.635MM SHIELDED EDGE MOUNT

DWG. NO.

ASP-111174-01

BY: D. TERRELL 3/18/2004

SHEET 3 OF 3